





Category: Lights

Product 5: Cuba

Composition:

- Base : Metal
- Core : Acoustic Foam (Polyurethane) | Colorline
- Finish : Fabrics
- Applications : Ceiling Mounted
- Accessories : Clutch Wire Systems

Dimensions:

- Standard: 600 x 585 x 250 mm (L x W x H)

Light Technicals:

- Life Span : 25000 hours
- Diffuser : Frosted - Glass
- UGR : <22
- Voltage : 220-240 V
- CRI : 80/90
- CCT : 3000K, 4000K
- Performance (LED) : Based on 4000K
- Globe- Ø150 : 5W each x Max. 40W

Performance:

- Fire Resistance:
 1. Acoustic Foam (polyurethane)
- **CA TB 117-2013 Section III** | Flammability of resilient fire materials - Pass | Flame retardant in upholstered Furniture – Pass
- **BS 5852: Part 2. 1982** | Flammability Test: Pass
 2. Fabrics
 - Category A+
- **BS 5852 Part 1: 1979 Ignition Source 0 & 1** | Details: Cigarette Test & Match Test | Result: PASS on both tests | Test Number: 423681
 - Category A
- **BS 5852 Part1: 1979 Ignition Source 0 & 1** | Details: Cigarette Test & Match Test | Result: PASS on both tests | Test Number: 187662
-



TECHNICAL DATA SHEET

- Category B
- **AS/NZS 1530.3:1999** | Details: Simultaneous test for Ignitability, Flame Propagation, Heat Release & Smoke Release | Result: Passed | Test Number: 19-001329

Sustainability:

- Certifications & Compliance:
 - LEED v4: Supports EQ Credit (Low-Emitting Materials)
 - Certified Low VOC materials
 - EPD & HPD certified
 - Declare Label compliant
 - USGBC LEED compliant