



TECHNICAL DATA SHEET | LINK



Category : Space Dividers

Product 2 : Link

Composition:

- Structure: Metal
- Base: 100% PET (60% recycled content)
- Finishes: Fabric
- Mobility: Movable
- Accessories:
 - Castors (Finish: Black)
 - Magnetic Writing Board (Standard)
 - Felt Manager (Finish available in F201 & F208)

Patterns & Dimensions:

- **Variant 1: A 8015**
 - Overall : 800 x 300 x 1545 mm (L x W x H)
 - Base Structure : 800 x 300 x 29 mm (L x W x H)
 - Castors : Ø60 mm, Qty= 4nos in 1 module
- **Variant 2: A 1018**
 - Overall : 1000 x 300 x 1855 mm (L x W x H)
 - Base Structure : 1000 x 300 x 29 mm (L x W x H)
 - Castors : Ø60 mm, Qty= 4nos in 1 module
- **Variant 3: S 1218**
 - Overall : 1200 x 300 x 1890 mm (L x W x H)
 - Base Structure : 1200 x 300 x 29 mm (L x W x H)
 - Castors : Ø60 mm, Qty= 4nos in 1 module
 - Writing Board : 1100 x 600 x 12 mm (L x W x T)
- **Variant 4: S 1016**
 - Overall : 1000 x 300 x 1690 mm (L x W x H)
 - Base Structure : 1200 x 300 x 29 mm (L x W x H)
 - Castors : Ø60 mm, Qty= 4nos in 1 module
 - Felt Manager : 400 x 300 x 2.5 mm (L x W x T)
 - Felt Color : F201, F208 (Thickness: 2.5 mm)
- **Variant 5: A 8014**
 - Overall : 800 x 300 x 1490 mm (L x W x H)
 - Base Structure : 800 x 300 x 29 mm (L x W x H)
 - Castors : Ø60 mm, Qty= 4nos in 1 module



TECHNICAL DATA SHEET

Performance:

1. Fire Resistance:

1. Acoustic Panel (100 % PET (60% recycled content))

- **ASTM E84- 2021** | Flame Spread Index: Class 1 or A | Smoke Developed Index: Class 1 or A
- **BS/EN 13501-1:2018** | Classification: B-s1, d0
- **AS/NZS 1530.3:1999** | Flame Spread Index: 0 | Smoke Index: 2

2. Fabric

– Category A+

- **BS 5852 Part 1: 1979 Ignition Source 0 & 1** | Details: Cigarette Test & Match Test | Result: PASS on both tests | Test Number: 423681

– Category A

- **BS 5852 Part1: 1979 Ignition Source 0 & 1** | Details: Cigarette Test & Match Test | Result: PASS on both tests | Test Number: 187662

– Category B

- **AS/NZS 1530.3:1999** | Details: Simultaneous test for Ignitability, Flame Propagation, Heat Release & Smoke Release | Result: Passed | Test Number: 19-001329

2. VOC Emissions:

- **CDPH Standard Method v1.2** | Section 01350 – Low-emitting materials for schools and offices

Sustainability:

- Certifications & Compliance:

- LEED v4: Supports EQ Credit (Low-Emitting Materials)
- Certified Low VOC materials
- EPD & HPD certified
- Declare Label compliant
- USGBC LEED compliant